



Operating Guide



**BB521 Mini Rechargeable
Battery Tracker/Temp Monitor**

1

Charge the Tracker


Place BB521 Tracker on a wireless charger.
We offer the BA521WC Qi Wireless Charging Kit.



During charging both LEDs will flash. When fully charged, both LEDs will be solid on.

2

Tracker Operation



Power On/Off

1. To **Power On** device, press and hold Power Button for at least 3 seconds
2. To **check device status**, press Power Button once when power is on
3. To **Power Off** device, press Power Button for at least 3 seconds

GPS LED (blue)

- Fast flash** – searching for GPS fix
- Slow flash** – has GPS fix
- Off** – GPS modem is off

LED Behavior (when device is on)

- LEDs stay on for 5 minutes after device Power On, then turn off.
- Status LED (green)
- Fast flash** – searching for cell network
- Slow flash** – connected to cell network
- Off** – cell modem is off

During Power On – both LEDs solid on

- When Checking Status (press Power Button once) – both LEDs on indicates power is on
- During Power Off – both LEDs flash then turn off when power goes off
- During Charging – both LEDs flash
- When Fully Charged – both LEDs solid on

Mounting the Tracker

BB521 Tracker can be mounted 2 ways:

1. BA521BK Screw-on Mounting Bracket



Bracket can be affixed to a surface with two-sided 3M tape as well.

2. BA521MM Magnet Mounting Bracket

